Higher Quality Better Service!



Certified IT practice exam authority

Accurate study guides, High passing rate! Exam Sell provides update free of charge in one year!



http://www.examsell.com

Exam : 500-601

Title : Application Centric

Infrastructure Support

Representative

Version: DEMO

1.If a Cisco ARC cluster is ful	ly operational, how man	y replica copies do	es each shard ha	ave in addition to
the leader replica?				

- A. 4
- B. 3
- C. 1
- D. 2

Answer: B

- 2. Which two statements about Cisco ACI interaction with STP in legacy networks are true? (Choose two)
- A. External switches ignore flooded BPDU frames received from the Cisco ACIfabric.
- B. BPDU guard is enabled on FEX ports by default.
- C. BPDU guard cannot be configured on leaf edge ports.
- D. STP is enabled by default within the Cisco ACIfabric.
- E. BPDU frame is flooded within EPG No configuration is required.

Answer: A,D

- 3. Which MO name represents a physical domain?
- A. RtDomP
- B. PhysDomP
- C. physDomP
- D. InfraRtDomP

Answer: C

- 4. Which command allows you to log in to a line card on a leaf switch?
- A. Leaf# vsh Ic
- B. Leaf#vsh
- C. Leaf*vsh-lc
- D. Leaft vshell -lc
- E. Leafs vsh-hw

Answer: E

5.Refer to the exhibit

```
# vlan.CktEp
adminSt
childAction
createTs
                  : vlan-2230
                  : active
createTs
                   : 2015-06-10T15:12:53.000+01:00
                    : policy-enforced
ctrl
                    : topology/pod-1/node-101/sys/ctx-[vxlan-2818051]/bd-[vxlan-
dn
16514959]/vlan-[vlan-2230]
                  : hw
enfPref
epgDn
                   : uni/tn-Prod/ap-App1/epg-web-server
fabEncap
              : vxlan-9101
hwId
                   : 49
id
                   : 45
                  : local
lcOwn
                   : 2015-06-10T15:12:12.544+01:00
modTs
mode
                : CE
monPolDn
                    : uni/tn-Prod/monepg-Prod-Mon
name
                   : Prod:App1:web-server
operSt
                    : up
operStQual
                : unspecified
                    : disabled
operState
pcTag
                  : 49158
                 : unspecified
qosPrio
qosmCfgFailedBmp
qosmCfgFailedTs : 00:00:00:00.000
qosmCfgState
                  : 0
rn
                   : vlan-[vlan-2230]
status
                   :
                    : ckt-vlan
type
vlanmgrCfgFailedBmp :
vlanmgrCfgFailedTs
                    : 00:00:00:00.000
```

Which two statements about this managed object are true? (Choose two)

- A. This object is part of the concrete model.
- B. There are endpoints with encapsulation vlan-2230 in the EPG name "web-server" on node 101.
- C. This object is part of the resolved model.
- D. This object is part of the logical model
- E. This object represents an FPG named "web server" in tenant Prod.

Answer: B,C