

Higher Quality  
Better Service!

**EXAM SELL**

Certified IT practice exam authority

Accurate study guides, High passing rate!

Exam Sell provides update free of charge in  
one year!



<http://www.examsell.com>

**Exam** : **API-936**

**Title** : Individual Certification  
Programs

**Version** : DEMO

1. Brick, tile, fired shapes and fused cast shapes are

- A. shaped refractory
- B. unshaped refractory
- C. refractory fiber
- D. all above

**Answer: A**

2. Forms (types) of refractory

- A. Shaped
- B. Unshaped
- C. Refractory (ceramic) fibers
- D. All above

**Answer: D**

3. Fused silica aggregate is used as a raw material in a castable providing

- A. Low thermal conductivity
- B. Low thermal expansion
- C. Low thermal conductivity and low thermal expansion
- D. None of the above

**Answer: C**

4. Materials having refractory properties which form a refractory body when bonded into a conglomerate mass by a matrix is called

- A. Cementitious concrete
- B. Refractory mass
- C. Refractory aggregate
- D. None of the above

**Answer: C**

5. For fire clay and some high alumina materials, the most commonly used index of refractoriness is known as:

- A. Refractoriness
- B. Pyrometric cone equivalent
- C. Refractoriness under load
- D. None of the above

**Answer: B**