Higher Quality Better Service!

Certified IT practice exam authority

Accurate study guides, High passing rate! Exam Sell provides update free of charge in one year!



Exam : HPE0-J68

Title : HPE Storage Solutions

Version : DEMO

1.A customer is purchasing an HPE MSA 2050 for a branch office. They will use it for critical data services. The customer is concerned that 64 snapshots will not be adequate as they grow.

What can be added to the array to address the customer's concerns?

- A. Advanced Data Services Suite license
- B. All-inclusive Multi-system license
- C. Virtual Copy license
- D. Adaptive Optimization license

Answer: D

2.DRAG DROP

R/W Snapshot
3 4 5
R/O Snapshot

You create two snapshots of a thin provisioned base volume in an HPE Primera. One snapshot is read only and the other is read-write. A write occurs at the location shown in in the diagram. Place the actions on the left into the order they are taken on the right.

Action

Order

Copy block to snapshot CPG

Redirect the snapshots

Update the block with new data

Answer:

ActionOrderCopy block to snapshot CPGRedirect the snapshotsRedirect the snapshotsCopy block to snapshot CPGUpdate the block with new dataUpdate the block with new data

Explanation:

A picture containing diagram

Description automatically generated

3.HOTSPOT

You are handing over the installed array to customer. The customer wants to review the amount of HDDs and SSDs in the system.

Click the relevant menu option where the front panel of the head shelf can be visualized.

Storage h	Kanage Hardware Monitor Events Administration Help	Q
CAPACITY PERFORMANCE INTERF		
Q GROUP T default C1C-HPE-Cloud-Volumes	Performance of ##All pools REAL-TIME 1H 8H	1D 1W 1M 3M CUSTOM
	LATENCY 2 500um 600um 700um 800um 900um 1000um 1100um 1200um 100pm READ WRITE C ² Get insights from HPE InfoSight ^{ML}	AVERAGE READ (ms) 0.39 AVERAGE WRITE (ms) 0.11
	0.5 0.3 0.35 m	AVERAGE READ (K) BED 0 RAND 0 Y 0.01

Answer:

	lanage Hardware Monifor Events Administration Help Inces REPLICATION CONNECTIONS STACKVISION	Q, death to bank
GROUP T • III default CI CIC-HPE-Cloud-Volumes	Performance of ##All pools REAL-TIME 1H 8H	1D 1W 1M 3M CUSTOM
	LATENCY	
	2 5 500um 600um 700um 800um 900um 1000um 11.00um 1200um 1000pm 0 I READ VHITE	AVERAGE READ (ms) 0.39 AVERAGE WRITE (ms) 0.11
	IOPS	
	05 025 x	AVERAGE READ (K) SED 0 RAND 0.01

4.A customer purchased a StoreOnce 3620 earlier in the year and has decided to add a 10G Base-adapter to it, which the customer sourced elsewhere and installed themselves. They complain that the new adapter is not configurable.

What is the most likely reason for this issue?

- A. The StoreOnce software requires updating
- B. Secure boot must be enabled in the BIOS to securely enable HBAs
- C. The customer failed to install a License to Use (LTU) for it
- D. The StoreOnce needs to connect to InfoSight to validate the adapter authenticity

Answer: A

5.You deployed and configured an all-flash Nimble array. The customer wants to attach their Windows-based server to the array.

Which HPE tool can you use on the host server to make the integration easier?

- A. StorServe Management Console
- B. Channel bonding
- C. Connection Manager
- D. Centralized Management Console

Answer: C