

Higher Quality
Better Service!

EXAM SELL

Certified IT practice exam authority

Accurate study guides, High passing rate!

Exam Sell provides update free of charge in
one year!



<http://www.examsell.com>

Exam : JN0-220

**Title : Automation and DevOps,
Associate (JNCIADevOps)**

Version : DEMO

1.You are creating a Python data type that contains a collection of multiple ordered values. As part of your script, you must make changes to the values that are stored in your data type.

In this scenario, which data type should you use?

- A. list
- B. tuple
- C. dictionary
- D. set

Answer: C

2.Which statement is correct about Ansible? (Choose two.)

- A. Ansible core modules for the Junos OS are developed by Ansible developers
- B. Ansible Galaxy modules for the Junos OS are developed by Juniper Networks developers
- C. Ansible Galaxy modules for the Junos OS and Ansible core modules for the Junos OS can coexist on the same control machine
- D. Ansible Galaxy modules for the Junos OS and Ansible core modules for the Junos OS cannot coexist on the same control machine

Answer: AC

3.Which statement is correct about Python variables once they are created?

- A. A global variable can only be used by functions that are defined later
- B. All variables in Python can be used by any function within the script
- C. A global variable can be used by any function within the script
- D. A global can only be used within the function that created it

Answer: A

Explanation:

Reference: <https://stackoverflow.com/questions/423379/using-global-variables-in-a-function>

4.Which two statements are correct about XML? (Choose two.)

- A. XML is used to send an event notification to a client
- B. XML is used to issue Junos operational commands
- C. XML is used to view or modify a Junos configuration
- D. XML is used to create a communications session to a remote device

Answer: AB

5.Which statement is true about YAML?

- A. YAML is a Unicode-based serialization language designed around common data types
- B. YAML is designed around parsing speed over human readability
- C. YAML is widely used on the Internet as a method to mode data between web servers and AJAX clients on Web browsers
- D. YAML follows the lowest common denominator data types and requires simple processing between different programming environments

Answer: A

Explanation:

Reference: <http://yaml.org/spec/spec.pdf>

