Higher Quality Better Service!



Certified IT practice exam authority

Accurate study guides, High passing rate! Exam Sell provides update free of charge in one year!



http://www.examsell.com

Exam : JN0-250

Title : Mist Al. Associate

(JNCIA-MistAI)

Version: DEMO

1. You configured an 802.11n AP to use the 2.4 GHz frequency band and 20 MHz channel width. In this scenario, how many non-overlapping channels are available for clients to use in Europe?

A. 11

B. 4

C. 1

D. 6

Answer: B

- 2. Which SLE would you use to determine Wi-Fi interference?
- A. AP Uptime
- B. Roaming
- C. Successful Connects
- D. Capacity **Answer:** D

Explanation:

Reference: https://www.mist.com/documentation/service-level-expectations-sle/

- 3. Which device is responsible for roaming decisions?
- A. user
- B. client
- C. controller
- D. AP

Answer: B Explanation:

Reference: http://wifinigel.blogspot.com/2015/03/what-are-sticky-clients.html

- 4. When using the Mist Cloud with Mist APs, which statement is correct?
- A. User data is terminated in the cloud and run through a firewall.
- B. User data is compressed and terminated in the cloud.
- C. User data is terminated in the cloud and forwarded.
- D. User data is bridged locally.

Answer: D Explanation:

Reference:

https://www.techtarget.com/searchnetworking/news/252473829/Juniper-taps-Mist-Systems-for-wired-wireless-LAN-analytics

- 5. Which two statements are correct about Marvis? (Choose two.)
- A. Marvis is the main configuration tool.
- B. Marvis lets you ask questions about your network.
- C. Marvis will send custom reports.
- D. Marvis can be used as a proactive monitoring tool.

Answer: B,D Explanation:



