

Higher Quality  
Better Service!

**EXAM SELL**

Certified IT practice exam authority

Accurate study guides, High passing rate!

Exam Sell provides update free of charge in  
one year!



<http://www.examsell.com>

**Exam : NSE6\_FML-6.4**

**Title : Fortinet NSE 6 -FortiMail  
6.4**

**Version : DEMO**

1.Which FortiMail option removes embedded code components in Microsoft Word, while maintaining the original file format?

- A. Behavior analysis
- B. Impersonation analysis
- C. Content disarm and reconstruction
- D. Header analysis

**Answer: C**

**Explanation:**

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/8c063dd3-bafe-11e9-a989-00505692583a/fortimail-admin-620.pdf> (435)

2.A FortiMail administrator is concerned about cyber criminals attempting to get sensitive information from employees using whaling phishing attacks.

What option can the administrator configure to prevent these types of attacks?

- A. Impersonation analysis
- B. Bounce tag verification
- C. Content disarm and reconstruction
- D. Dictionary profile with predefined smart identifiers

**Answer: A**

3.Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal, and there are no unnecessary failovers?

- A. Break the cluster, upgrade the units independently, and then form the cluster
- B. Upgrade both units at the same time
- C. Upgrade the standby unit, and then upgrade the active unit
- D. Upgrade the active unit, which will upgrade the standby unit automatically

**Answer: B**

**Explanation:**

Reference: <https://docs.fortinet.com/document/fortimail/6.2.0/administration-guide/725928/upgrading-firmware-on-ha-units>

4.Refer to the exhibit.

**Session Profile**

Profile name:

☒ **SMTP Limits**

Restrict number of EHLO/HELOs per session to:

Restrict number of email per session to:

Restrict number of recipients per email to:

Cap message size (KB) at:

Cap header size (KB) at:

Maximum number of NOOPs allowed for each connection:

Maximum number of RSETs allowed for each connection:

**FortiMail**

Domain name:

Relay type:

SMTP server:  Port  [Test..]

☐ Use SMTPS

Fallback SMTP server:  Port  [Test..]

☐ Use SMTPS

☒ ☐ Relay Authentication

**Other**

Webmail theme:

Webmail language:

Maximum message size(KB):

SMTP greeting (EHLO/HELO) name (as client)

IP pool:  Direction:

☐ Remove received header of outgoing email

☒ Use global bayesian database

☐ Bypass bounce verification

Which message size limit will FortiMail apply to the outbound email?

- A. 204800
- B. 1024
- C. 51200
- D. 10240

**Answer: A**

5.A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

- A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org
- B. MAIL FROM: support@example.com RCPT TO: marketing@example.com
- C. MAIL FROM: training@external.org RCPT TO: students@external.org
- D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

**Answer:** C,D

**Explanation:**

Reference: [https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d-11ea-9384-00505692583a/FortiMail-6.4.0-Administration\\_Guide.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d-11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf) (30)