

Higher Quality  
Better Service!



Certified IT practice exam authority

Accurate study guides, High passing rate!

Exam Sell provides update free of charge in  
one year!



<http://www.examsell.com>

**Exam : VCS-260**

**Title :** Administration of Veritas  
InfoScale Availability 7.3 for  
UNIX/Linux

**Version : DEMO**

1. An administrator has removed a node from the cluster. After system maintenance, the administrator notices that the remaining cluster nodes will no longer form a cluster.

Which file will be used by the cluster at startup to determine the number of nodes required to form a cluster?

- A. /etc/gabtab
- B. /etc/llttab
- C. /etc/vxfentab
- D. /etc/llthosts

**Answer: A**

2. Which behavior should an administrator expect when performing the Veritas InfoScale Availability online upgrade process using the installer?

- A. The cluster remains online and the kernel processes are swapped during the upgrade process.
- B. The cluster is taken offline one node at a time during the package upgrade.
- C. The cluster is taken offline during the upgrade process, but the applications stay online.
- D. The cluster remains online during the update process, but the service groups are offline.

**Answer: B**

3. Which command allows an administrator to halt the cluster without affecting any of the running services in an active Veritas Cluster Server environment?

- A. hastop
- B. hastop -all
- C. hastop -all -force
- D. hastop -all -freeze

**Answer: D**

4. The hastatus command shows a service group in the AutoDisabled state, and Veritas Cluster Server is unsuccessful in bringing the service group online automatically.

Which command can the administrator use to reset the AutoDisabled attribute?

- A. hagr -autoenable <service\_group> -sys <system>
- B. hagr -forceonline <service\_group> -sys <system>
- C. hagr -enable <service\_group> -sys <system> -auto
- D. hagr -modify <service\_group> AutoDisabled 0

**Answer: D**

5. When is the resstatechange trigger unable to detect a resource state transition?

- A. when a resource is faulted
- B. when a resource is brought online
- C. when a resource is enabled
- D. when a resource fault is cleared

**Answer: C**